

Fenix 18650 3200mah battery and Charger



\$89.95][200,200,200][14]

Current Sale Price: \$39.95

SKU: 232

Product Categories: [Lights and Flashlights](#)

Product Page: <http://www.magersenterprises.com/product/fenix-18650-3200mah-battery-and-charger/>

Product Summary

Batt/Charge

Product Description

Fenix 18650 Battery plus charger

This includes 1 3200mah batter and 1 charger

Specially designed for 18650 rechargeable batteries, the ARE-C1 features the constant-current charge which extends the lifespan of the battery. The built in advance safety features ensure your safety and the health of the battery. With the included car adapter, you can charge your batteries on the go.

Features:

- Constant-current charge. 3.5 hours charging times for 2600 mAh 18650 rechargeable Li-ion battery - Support AC charging and DC charging. Charge on the go with the included car adapter - Advanced safety features: Short-circuit protection, overcurrent protection, reverse polarity protection, overcharge protection - Two independent charging channels. Charge 2 rechargeable 18650 batteries at the same time - Two LED indicators displays charging progress for each battery - Input: 100-240 V (AC), 50/60Hz, 200 mA (max) 12V-24V (DC), 1000mA (max) - Output: 4.2V (DC), 2 x 1000 mA - Size: 88m x 87mm x 26mm (Length x Width, x Height - Weight: 110 g (excluding batteries) - Operating conditions: Humidity (Temperature) 5% (0 degrees C) - 90% (40 degrees C) (Full-load in normal working condition) - Storage conditions: Temperature: 20 degrees C - 85 degrees C - Product Rating: CE, PSE, FC, SAA, RoHS
- Features**
- 3200mAh high-capacity battery with outstanding performance - 3.6V - Three sets of over-heat protection - Built-in over-charge and over-discharge protection circuit ensure the maximum performance of the battery - Unique structural design for better impact-resistance - Up to a 25% boost in performance over the Fenix ARB-L2 (2600mAh) battery - When properly maintained, the ARB-L2P will retain up to 70% of its original capacity at 500

full charge and discharge cycles - No battery memory effect, negligible self discharge - Charging current:
Recommended 1A, maximum 2A - 12-month free warranty period from the date of purchase

Specifications

- .73 inches/18.5mm (Diameter) x 2.68 inches/68mm (Height) - 1.73 ounces/49 gram (Weight) **Battery**

Warnings

- Do not expose the battery to heat or throw it into water - Observe the plus (+) and minus (-) marks on the battery and ensure correct use - After extended periods of storage, it may be necessary to charge the battery to obtain maximum performance every three months - Keep the battery out of the reach of children. Seek medical advice immediately if the battery has been swallowed.

Product Attributes

- Dimensions: N/A
- Weight: 1 lbs

Product Gallery



Product data have been exported from - Magers Enterprises, LLC

Export date: Tue Oct 22 4:43:40 2024 / +0000 GMT